日中韓辭典研究所

ID	Code	Resource	Type of database	Headwords	General description	Resource purpose
	Chinese					
C01	<u>CETERM</u>	Simplified Chinese↔English Technical Terms	Technical Terms	3,319,160	covering over 3.3 million terms from 68 domains, including chemical, computer/IT, medical, civil engineering, economy/finance, and mechanical engineering.	MT dictionaries; information retrieval applications for accurate term recognition and indexing; NLP tools like morphological analyzers and tokenizers; handheld electronic dictionaries and smartphone applications
Co2	<u>CED</u>	Simplified Chinese-to- English Dictionary	General Vocabulary	500,000		MT dictionaries; CLIR applications for accurate term recognition and indexing; handheld electronic dictionaries and mobile device applications, and language learning applications
Co3	<u>ECD</u>	English-to-Simplified Chinese Dictionary	General Vocabulary	80,000	80 000 beadwords, expandable to 100 000, of general vocabulary and	MT dictionaries; CLIR applications for accurate term recognition and indexing; handheld electronic dictionaries and mobile device applications
C 04	<u>CEC</u>	Chinese-English Database of Proverbs and Idioms (Chengyu)	General Vocabulary		This database is important for translating 成語 <i>chengyu</i> (Chinese proverbs and idioms), which cannot be translated literally since they are often based on classical Chinese. For example, 臨陣磨槍, literally 'face battle sharpen spear', which means "do something at the last moment," cannot be correctly translated by MT or NMT systems based on the characters alone. The database includes a fairly large variety of English translations, as well as ranking information, literal meanings, and syntactic codes.	For enhancing the accuracy of MT and NMT systems.
C05	<u>YPD</u>	Cantonese Readings Database	General Vocabulary	300,000		Chinese IME systems, pedagogical applications, transcription systems, speech synthesis.
C06	<u>CJTERM</u>	Chinese-Japanese Technical Terms Dictionary	Technical Terms	820,000	including computers/IT, mechanical engineering, biotechnology, chemistry, and medicine	MT dictionaries; information retrieval applications for accurate term recognition and indexing; NLP tools like morphological analyzers and tokenizers; handheld electronic dictionaries and mobile device applications
C07	<u>CPD</u>	Chinese Phonological Database	NLP Lexicons	2,500,000	A large-scale database of Chinese pinyin readings. Especially noteworthy are the differences in pronunciation between the PRC and Taiwan, for example 期待 qī dài (PRC) and qí dài (Taiwan).	Chinese IME systems, pedagogical applications, transcription systems, speech technology.

ID	Code	Resource	Type of database	Headwords	General description	Resource purpose
Co8	<u>C2C</u>	Simplified to Traditional Chinese Conversion	NLP Lexicons	700,000	SC<>TC mapping tables for Orthographic and Lexemic conversion levels together with a conversion engine. The mapping tables are comprehensive, and include approximately 700,000 items covering general vocabulary and some technical terms and proper nouns. They also include various other attributes, such as pinyin readings, part of speech, and semantic classification codes.	Conversion between Simplified and Traditional Chinese.
Cog	<u>CHD</u>	Hanzi Pinyin Database for Simplified Chinese	General Vocabulary, Proper Nouns, Technical Terms	600,000	Covers entries of general vocabulary, along with high-frequency technical terms and proper nouns. In addition to large coverage and high level of accuracy, the database has several special features including explicit codes to indicate headword type and part-of speech, coverage of all polyphones, and correct pinyin for the neutral tone based on actual usage.	Chinese IME systems, pedagogical applications, transcription systems, speech synthesis.
		CJKI Comprehensive Database of Chinese Personal Names	See Mo2 in Multilin	gual section		
C10	<u>CEN</u> CEP	Chinese-English Database of Proper Nouns	Proper Nouns		A large comprehensive database of Chinese-English personal and place names, with coverage of not only native Chinese proper nouns, but also Japanese, Korean, and Western proper nouns as well.	Used for a wide variety of applications, including MT, information retrieval, morphological analysis, electronic and mobile platform dictionaries, IME systems, NER, data cleansing, and mapping and geodata.
C11	<u>CJN</u> CJP	Chinese-Japanese Database of Proper Nouns	Proper Nouns		A large comprehensive database of Chinese-Japanese personal and place names, with coverage of not only native Chinese proper nouns, but also Japanese, Korean, and Western proper nouns as well.	Used for a wide variety of applications, including MT, information retrieval, morphological analysis, electronic and mobile platform dictionaries, IME systems, NER, data cleansing, and mapping and geodata.
		Korean-Chinese Database of Proper Nouns	see Ko4 in Korean	section		
C12		Database of Chinese Names	Proper Nouns		Chinese name components, accompanied by accurate pinyin readings, gender codes, and flags denoting whether name is a given name, surname, or both.	Used for a wide variety of applications, including MT, information retrieval, morphological analysis, electronic and mobile platform dictionaries, IME systems, NER, data cleansing, and mapping and geodata.
C13	<u>CNV</u>	Database of Chinese Name Variants	Proper Nouns	7,600,000	Provides comprehensive coverage for the major Chinese romanization systems and their variants, and if needed can be expanded considerably with dialectal variants (Cantonese, Hakka, Hokkien, etc.).	Used for a wide variety of applications, including MT, information retrieval, morphological analysis, electronic and mobile platform dictionaries, IME systems, NER, data cleansing, and mapping and geodata.
C14	<u>CFN</u>	Database of Chinese Full Names	Proper Nouns	4,000,000	Covers Chinese full names of real people, including celebrities. Includes pinyin readings.	Used for a wide variety of applications, including MT, information retrieval, morphological analysis, electronic and mobile platform dictionaries, IME systems, NER, data cleansing, and mapping and geodata.

ID	Code	Resource	Type of database	Headwords	General description	Resource purpose
C15	<u>CLD</u>	Chinese Lexical Database	NLP Lexicons	500,000	A comprehensive monolingual lexical database of Chinese consisting of Simplified and Traditional Chinese modules, covering general vocabulary and important technical terms. Each entry is accompanied by various attributes, such as phonological, grammatical, and morphological information, as well as semantic classification codes.	Fine-tuned for NLP applications such as MT, information retrieval and morphological analysis.
C17	<u>CWL</u>	Comprehensive Wordlist of Simplified Chinese	NLP Lexicons		provided making this database ideal for speech-related applications such	applications, including information retrieval, morphological analysis and word segmentation, as well
C18	CWL	Comprehensive Wordlist of Traditional Chinese	NLP Lexicons	5,465,068	Comprehensive monolingual wordlist for Traditional Chinese. Zhuyin is provided, making this database ideal for speech-related applications such as speech synthesis.	SuftBole for a Variety of national nanguage processing applications, including information retrieval, morphological analysis and word segmentation, as well
	Japanese	'	·			
Jo1	<u>JED</u>	Japanese – English Dictionary	General Vocabulary	110,000	codes and readings. This up-to-date dictionary is optimized for the convenience of users of electronic dictionaries and online translation tools.	MT dictionaries; CLIR applications for accurate term recognition and indexing; handheld electronic dictionaries and mobile device applications, and language learning applications
Joz	<u>EJD</u>	English – Japanese Dictionary	General Vocabulary	82,000		dictionaries and mobile device applications, and
Jo3	<u>JMP</u>	Multilingual Database of Japanese Points-of-Interest (CJKE)	Proper Nouns	1,172,083	A large-scale database of Japanese place names and POIs in CJK and	ບຣອບ າອກ ໄຈທີ່ເອີ້ຍ ຈາກຍີ່ນີ້ ອ້າ ລົກການເດິດ ເດິດ ເດິດ ເດິດ ເດິດ ເດິດ ເດິດ ເດິດ
J04	JPD	Japanese Phonological Database	NLP Lexicons	70,000	actual speech, as well as accent codes, for each entry. Includes accent	
Jo5	<u>JLD</u>	Japanese Lexical Database	NLP Lexicons	290,000	Monolingual lexical database with a rich set of grammatical attributes such as derivational attributes, suffixes and prefixes and bound morphemes.	Fine-tuned for NLP applications such as MT, information retrieval and morphological analysis.
Jo7	JOD	Japanese Orthographical Database	NLP Lexicons	127,600	Our Japanese Orthographical Database (JOD) plays a critical role in enhancing the accuracy of information retrieval, machine translation and morphological analysis applications as it helps identify and disambiguate the numerous Japanese orthographic variants that have identical meanings.	Fine-tuned for NLP applications such as MT, information retrieval and morphological analysis.

ID	Code	Resource	Type of database	Headwords	General description	Resource purpose	
3oL	JMP	Multilingual Database of Japanese Points-of-Interest (non-CJKE)	Proper Nouns		A large-scale database of Japanese place names and POIs in European languages such as German and French, and other Asian languages like Vietnamese and Indonesian.	used for a wide variety or applications, including MT, information retrieval, morphological analysis, electronic dictionaries and mobile device applications, IME	
Jog	JCD	Japanese Companies and Organizations	Proper Nouns		Japanese company and organization names with English equivalents when available.	Used for information retrieval and morphological analysis in business intelligence software and machine translation	
J10	<u>JNV</u>	Database of Japanese Name Variants	Proper Nouns		This resource covers four million Japanese names and their romanized variants, and includes gender codes, classification codes, and frequency rankings.	Business intelligence software and machine translation.	
		Korean-Japanese Database of Proper Nouns	see Ko3 in Korean	section			
J11	<u>JEN</u>	Japanese – English Database of Proper Nouns	Proper Nouns		Covers over 660,000 entries and includes various data fields such as hiragana and romanized readings, classification codes and locale codes, English equivalents, and more. Included are a large variety of both Japanese and non-Japanese personal and place names.	Used for a wide variety of applications, including MT, information retrieval, morphological analysis, electronic dictionaries and mobile device applications, IME systems, and NER.	
J12	<u>JETERM</u>	Japanese - English Dictionary of Technical Terms	Technical Terms		Comprehensive Japanese-English bilingual, bidirectional database of technical terms covering a broad spectrum of fields ranging from computer science to business and finance to biotechnology.	MT dictionaries; information retrieval applications for accurate term recognition and indexing; NLP tools like morphological analyzers and tokenizers; handheld electronic dictionaries and mobile device applications. Suitable for a variety or natural language processing	
J13	<u>JWL</u>	Comprehensive Wordlist of Japanese	NLP Lexicons		Comprehensive monolingual wordlist for Japanese. Readings are provided, making this database ideal for speech-related applications such as speech synthesis.	applications, including information retrieval, morphological analysis and word segmentation, as well	
J14	JFULEX	Japanese Full Form Lexicon	NLP Lexicons	120,000,000	This is a comprehensive, full-form lexicon for Japanese general vocabulary in which all inflected forms are included.	Enhanced translation quality for MT and other NLP applications; morphological analysis; named entity recognition and entity extraction; and query processing for information retrieval applications.	
		Korean-Japanese Dictionary of Technical Terms	see Ko1 in Korean section				
		Chinese-Japanese Technical Terms Dictionary	see Co6 in Chinese section				
	Korean						
K01	<u>KJTERM</u>	Korean-Japanese Dictionary of Technical Terms	Technical Terms		Bilingual, bidirectional database of technical terms covering fields including civil engineering, business and finance, mechanical engineering, IT/computer, and more.	MT dictionaries; information retrieval applications for accurate term recognition and indexing; NLP tools like morphological analyzers and tokenizers; handheld electronic dictionaries and mobile device applications	

ID	Code	Resource	Type of database	Headwords	General description	Resource purpose
Коз	<u>KEN</u> KEP	Korean-English Database of Proper Nouns	Proper Nouns		A large comprehensive database of Korean-English personal and place names, with coverage of not only native Korean proper nouns, but also Chinese, Japanese, and Western proper nouns as well.	Used for a wide variety of applications, including MT, information retrieval, morphological analysis, electronic and mobile platform dictionaries, IME systems, NER, data cleansing, and mapping and geodata.
Коз	<u>KJN</u> KJP	Korean-Japanese Database of Proper Nouns	Proper Nouns	2,250,700	A large comprehensive database of Korean-Japanese personal and place names, with coverage of not only native Korean proper nouns, but also Chinese, Japanese, and Western proper nouns as well.	Used for a wide variety of applications, including MT, information retrieval, morphological analysis, electronic and mobile platform dictionaries, IME systems, NER, data cleansing, and mapping and geodata.
Ко4	KCN KCP	Korean-Chinese Database of Proper Nouns	Proper Nouns	2,483,600	A large comprehensive database of Korean-Chinese personal and place names, with coverage of not only native Korean proper nouns, but also Japanese, Chinese and Western proper nouns as well.	Used for a wide variety of applications, including MT, information retrieval, morphological analysis, electronic and mobile platform dictionaries, IME systems, NER, data cleansing, and mapping and geodata.
Ко5	<u>KLD</u>	Korean Lexical Database	NLP Lexicons		Monolingual lexical database which includes a significant number of affixes, particles, auxiliaries and conjugation patterns to account for all the inflectional and derivational morphology in Korean so as to enable recognition of inflected forms.	Fine-tuned for NLP applications such as MT, information retrieval and morphological analysis.
K06	<u>KWL</u>	Comprehensive Wordlist of Korean	NLP Lexicons		Comprehensive monolingual wordlist for Korean. Romanization (IPA optional) is provided, making this database suitable for speech-related applications such as speech synthesis.	Suitable for a variety of natural language processing applications, including information retrieval, morphological analysis and word segmentation, as well as speech-related applications.
К07	<u>KNV</u>	Database of Korean Name Variants	Proper Nouns	183,000	Provides coverage for the major Korean romanization systems, including the latest standard published by the Korean government in 2000.	Used for a wide variety of applications, including MT, information retrieval, morphological analysis, electronic and mobile platform dictionaries, IME systems, NER, data cleansing, and mapping and geodata.
	Arabic					
A01	AFULEX	Arabic Full Form Lexicon	NLP Lexicons	200,000,000+	This very comprehensive database covers inflected, conjugated and cliticized wordforms, and is rich in morphological, grammatical, phonological, and orthographical attributes. In addition, it maps all unvocalized forms to their vocalized counterparts and to the lemma, and provides precise phonemic and phonetic transcriptions.	This database can significantly contribute to the training of language models for speech technology (both synthesis and recognition) and machine translation.
Ao2	DAP	Database of Arabic Plurals	NLP Lexicons	3,137	This database covers both regular and irregular Arabic plurals, and was developed by experts over a period of several years. The data includes various grammatical attributes such as part-of-speech, collectivity codes, gender codes, and full vocalization.	Used in software development, machine translation, and Arabic language education.
Ao3	<u>DAN</u>	Database of Arab Names	Proper Nouns		Very comprehensive database of Arabic personal names and name variants mapped to the original Arabic script with a large variety of supplementary information.	Suitable for NER, MT, variant normalization, information retrieval of Arabic names, risk compliance systems, and transcription and transliteration.

ID	Code	Resource	Type of database	Headwords	General description	Resource purpose	
A04	<u>DANA</u>	Database of Arab Names in Arabic	Proper Nouns	222,000	A resource of Arab personal names and variants, in the original Arabic script, this database covers several hundred thousand Arabic script variants, along with common spelling mistakes. Every Arabic name is normalized and vocalized.	Suitable for NER, MT, variant normalization, and information retrieval of Arabic names, and transcription and transliteration.	
Ao5	<u>DAFNA</u>	Database of Foreign Names in Arabic	Proper Nouns	37,000	This database covers non-Arabic names, their Arabic equivalents, and Arabic script variants for each name.	Suitable for NER, MT, variant normalization, information retrieval of Arabic names, risk compliance systems, and transcription and transliteration.	
A06	<u>DAPNA</u>	Database of Arabic Place Names	Proper Nouns	10,000	This is bilingual bidirectional English-Arab dictionary provides worldwide coverage of common place names. It includes both the standard MSA spellings as well as Arabic spelling variants for many place names.	Suitable for NER, MT, variant normalization, and information retrieval of Arabic names, and transcription and transliteration.	
A07	AWL	Comprehensive Wordlist of Arabic	NLP Lexicons	210,000	Comprehensive monolingual wordlist for Arabic. Phonemic transcriptions are provided, making this database ideal for speech-related applications such as speech synthesis.	Suitable for a variety of natural language processing applications, including information retrieval, morphological analysis and word segmentation, as well	
	Multiling	gual	· · · · · ·				
		Multilingual Database of Japanese Points-of-Interest (POIs)	see Jo3 in Japanese section				
Moz		Multilingual Proper Noun Database	Proper Nouns	150,000	Brings together six languages – Simplified Chinese, Traditional Chinese, Japanese, Korean, English (Arabic upon request) – in a multidirectional format. The database includes various data fields, such as readings in pinyin and zhuyin, hiragana, romanization in all major and most minor romanization systems, semantic classification codes, locale codes, and other useful information.	Suitable for a wide variety of applications such as online multilingual maps, NER, MT, and information retrieval.	
	Others						
X01	<u>DPN</u>	Database of Persian Names	Proper Nouns	450,000	A unique resource that has been developed in cooperation with a team of native-speaker experts in Persian phonology. The data includes a confidence rank to indicate the relative likelihood that a variant will be encountered in the real world.	Suitable for NER, MT, variant normalization, information retrieval of Persian names, risk compliance systems, and transcription and transliteration.	
Xo2	<u>SFULEX</u>	Spanish Full-form Lexicon (Monolingual)	NLP Lexicons	1,000,000	This is an extremely comprehensive Spanish full-form lexicon for general vocabulary in which all forms, including inflected, plural, feminine and affixed forms, are included.	Enhanced translation quality for MT and other NLP applications; morphological analysis; named entity recognition and entity extraction; and query processing for information retrieval applications.	
Xo3	<u>SFULEX</u>	Spanish Full-form Lexicon (Bilingual)	NLP Lexicons	26,000,000	This is an extremely comprehensive Spanish-English lexicon for general vocabulary in which not only are all forms, including inflected, plural, feminine and affixed forms included, but all English equivalents for each of these forms is given as well.	Enhanced translation quality for MT and other NLP applications; morphological analysis; named entity recognition and entity extraction; and query processing for information retrieval applications.	

ID	Code	Resource	Type of database	Headwords	General description	Resource purpose
X04		Vietnamese - Japanese Dictionary	General Vocabulary	140,000	This database covers general vocabulary, and includes part-of-speech codes and readings. Additionally, Chinese characters are given for Sino-Vietnamese compounds.	MT dictionaries; handheld electronic dictionaries and mobile device applications, and language learning applications
Corpo	ra			•		
M1		Korean - Chinese - Japanese	Corpora	85,000	Original sentences created in Korean by a native speaker, then translated into Chinese and Japanese by a Korean translator. Domain of the corpus is travel, a dialog set between two people.	Suitable for a variety of natural language processing applications, but especially for morphological analysis and the training of machine translation systems.
M2		Korean - Chinese - English	Corpora	510,000	Original sentences created in Korean by a native speaker, then translated into Chinese and English by a Korean translator.	Suitable for a variety of natural language processing applications, but especially for morphological analysis and the training of machine translation systems.
M3		Korean - Chinese	Corpora	1,620,000	Original sentence pairs were created as follows: 600,000 pairs were created in Korean by a native speaker and translated to Chinese by a Korean translator. 900,000 pairs were collected from textbooks and websites. Note that the KC pairs in the KCE and KCJ corpora are not included in this KC corpus.	Suitable for a variety of natural language processing applications, but especially for morphological analysis and the training of machine translation systems.
M4		English - Chinese	Corpora	4,000,000	Sentence pairs were collected from online and offline English textbooks and English learning websites. Original sentences were created in English by Chinese native speakers and translated into Chinese by Chinese translators.	Suitable for a variety of natural language processing applications, but especially for morphological analysis and the training of machine translation systems.
M5		Korean	Corpora	9,000,000	Sentences were collected from online and offline sources such as textbooks, newspapers. Original sentences were created in Korean by Korean native speakers.	Suitable for a variety of natural language processing applications, but especially for morphological analysis and the training of machine translation systems.
M6-1		Korean - Vietnamese	Corpora	350,000	Sentences of the KV corpus created by Korean native speakers and translated to Vietnamese by Vietnamese translators.	Suitable for a variety of natural language processing applications, but especially for morphological analysis and the training of machine translation systems.
M6-2		Vietnamese - Korean	Corpora	240,000	translated to Korean by a vietnamese translator.	Suitable for a variety of natural language processing applications, but especially for morphological analysis and the training of machine translation systems.
M7		Korean - English	Corpora	2,250,000	by Korean native speakers and translated into English by Korean translators.	Suitable for a variety of natural language processing applications, but especially for morphological analysis and the training of machine translation systems.
M8		English - Korean	Corpora	2,510,000	by Korean hative speakers and translated into Korean by Korean translators.	Suitable for a variety of natural language processing applications, but especially for morphological analysis and the training of machine translation systems.
M9		Korean - Japanese	Corpora	800,000	The 800,000 sentence pairs were collected from online and offline Japanese textbooks, learning websites and news sites in Korea. The original sentences were created in Korean and translated into Japanese by Korean native speakers. The corpus covers various domains such as science and technology, English conversation, and miscellaneous subjects.	

I	D	Code	Resource	Type of database	Headwords	General description	Resource purpose
v	EC		Vietnamese- English	Corpora	27,500	Institute in Hanol This can be used bidirectionally	Suitable for a variety of natural language processing applications, but especially for morphological analysis and the training of machine translation systems.
E	VC		English - Vietnamese	Corpora	73,000	Institute in Hanoi. This can be used bidirectionally	Suitable for a variety of natural language processing applications, but especially for morphological analysis and the training of machine translation systems.
VI	мс		Vietnamese Monolingual Corpus	Corpora	1,000,000		Suitable for a variety of natural language processing applications, but especially for morphological analysis and the training of machine translation systems.